


SCALE : NTS



CLASS A PIPE BEDDING



END SECTIONS FOR CONCRETE PIPE



CLASS C PIPE BEDDING

PIPE BEDDING

NOTES:

1). USE CLASS C BEDDING UNLESS OTHERWISE INDICATED.
2). FOR CLASS A BEDDING, IMBED PIPE IN CONCRETE 6" FOR PIPES SMALLER THAN 24" I.D., 10" FOR PIPES 24" TO 60", AND FOR PIPES LARGER THAN 60" SEE PROJECT DETAILS.
3). USE IN SITU MATERIAL AS APPROVED BY THE ENGINEER OR AS PER MANUFACTURER REQUIREMENTS.
4). USE CLASS B CONCRETE FOR CONCRETE CUTOFF WALLS, PRECAST AS DIRECTED BY THE ENGINEER.

DelDOT

ENGINEERING SUPPORT — DATE 09/01/2020

RECOMMENDED

PIPE BEDDING AND PIPE FLARED END SUPPORT

STANDARD NO. D-8 (2020) | SHT. 1 OF 1

REVIEWED — DEPUTY DIRECTOR - DESIGN — DATE 09/01/2020

APPROVED — CHIEF ENGINEER — DATE 09/01/2020

08/20/2020